


פבענה זמ

FIG. 2A






FIG. 2B




FIG. 2D






FIG. 2C







FIG. 2E





**3**Y

FIG. 4B



'<u>FIS</u>'

FIG. 5A

SEG PARAMETERS SUBSTITUTION FILTERS MOTIF PATTERN FILE

SEQUENCE SPECIFIC PREPARATION

INFO.

541

**DISPLAY/GET** 

543

544

542

YES

SEQUENCE

**VIEW EDITOR** 

CHECKS DATA TYPE

DATA?

Ngram NUMBER/LENGTH

37 W.75...



546

NO PREPARATION INFORMATION REQUIRED FOR

9

NUMERIC


DATA SET?

545

9

TEXT

FIG. 5B 548 INFO.








FIG. 5C



กิด (..... อ**ร**์ นศ 3:1/1: :





FIG. 5D







FIG. 6A







FIG. 6B



alderi.

BY



F/G. 6C




FIG. 6D



BY

		ROJECTION 0	N SET1	4ME1	HELP
		ISTERING 7 PRC	(OPERATION SET1	OPERATION SET1 NUMERIC FIELD NAME1	PROCESS NOW
IS: GE.775		2. SOURCE FILES[[3. FORMAT]4. PREPARATION [5. PROCESSING[[6. CLUSTERING]7. PROJECTION 4.1 DATA SPECIFICATION 4.2 OPERATION SET [4.3 CLUSTERING SELECTION 650	ICK TO CLUSTER	ON N	PROCESS LATER   PR
NEW VISUAL ANALYSIS: GE.775		RATION 5. PI	ELECT WHICH FIELD/TRANFORM ON WHICK TO CLUSTER	\$	NEXT >> PRC
JEN	NEW VIEW	SS FORMAT 4. PRICATION 4.2 OPE	T WHICH FIELD/TF		<< PREVIOUS
	1. VIEW NAME:	2. SOURCE FILES 4.1 DATA SPECIF	PLEASE SELEC <sup>7</sup>		CANCEL

FIG. 6E



nerview in in Tightl

- BY




FIG. 6F



NEW VISUAL ANALYSIS: APOPTOSIS.DISEASE
. VIEW NAME: NEW VIEW 1
029
2. SOURCE FILES[3. FORMAT 4 PREPARATION] 5. PROCESSING 6. CLUSTERING 77. PROJECTION
TOPICALITY METHOD: SPECIFY SETTINGS BY NUMBER OF TERMS [▼]
672
WEAK
REQUESTED NUMBER OF TOPICS: 2001 \$ 674  REQUESTED NUMBER OF CROSS TERMS: 2000 \$ 676
TOPICS MUST APPEAR IN 20 BUT NO MORE THAN RECORDS.
CROSS TERMS MUST APPEAR IN 20 BUT NO MORE THAN
CANCEL

FIG. 6G

OUT 3 1 TOM WELL

- 750

ــــــــــــــــــــــــــــــــــــــ	⇒ NEW VISUAL ANALYSIS: APOPTOSIS.DISEASE	
	1. VIEW NAME: NEW VIEW 1	1
		1
	2 SOURCE FILES S FORMAT PREPARATION 5. PROCESSING 6. CLUSTERING 7. PROJECTION	
	TOPICALITY METHOD: SPECIFY SETTINGS BY THRESHOLD □	
	$680^{7} \square$ DO NOT USE ASSOCIATIONS	
	682 [2.60]	
	004 	
	TOPICS MUST APPEAR IN 20 BUT NO MORE THAN RECORDS.	
	UT NO MORE THAN	-
	D889	
	CANCEL <- PREVIOUS NEXT >> PROCESS LATER PROCESS NOW HELP	
긜		7

FIG. 6H



4. PREPARATION 5. PROCESSING 6. CLUSTERING 7. PROJECTION 1.00 TO USE ASSOCIATIONS 1.00 TO USE ASSOCIATIONS 1.00 TO USE ASSOCIATER PROCESS NOW HELP	SIS.DISEASE  SSING 6. CLUSTERING 7. PROJECTION  STRICT  OCIATIONS  1.00  SLATER PROCESS NOW HELP	
VS 1.00 STRICT 1.00 HELP	ASE I.CLUSTERING 77 PROJECTION  VS 1.00  THELP  PROCESS NOW HELP	
ME: [NEW VISW]  METHOD: AUTOM/  OO  CAN A VISW VISW VISW VISW VISW VISW VISW VISW	NEW VISUAL ANALYSIS: APOPTOSIS.DISEASE WVIEW 1  AUTOMATICALLY CALCULATE SETTINGS  [0.20]  [0.20]  [0.20]  MOUS  [NEXT >> ] [PROCESS LATER] [PROCESS LATER] [PROUS]	SSOCIATIONS 1.00 SESSING FROM HELE




FIG. 6J




FIG. 6K



= NEW VISUAL ANALYSIS: APOPTOSIS.DISEASE  □	
1. VIEW NAME: NEW VIEW 1	
2 SOURCE FILES 3 FORMAT 4 PREPARATION 5 PROCESSING 6 CLUSTERING 7 PROJECTION	
CLUSTERING METHOD: [KMEANS   ▼	
-NUMBER OF CLUSTERS:	
1 500	
-NUMBER OF ITERATIONS:	
1 500	
CLUSTER SEEDING:  © USE RANDOM SEEDING  I USE SYSTEM TIME TO SEED RANDOM NUMBER GENERATOR  RANDOM GENERATOR SEED:	
CORRELATION ORDER AFTER CLUSTERING	
CANCEL <- PREVIOUS NEXT >> PROCESS LATER PROCESS NOW HELP	
	7


FIG. 6L



□ NEW VISUAL ANALYSIS: APOPTOSIS.DISEASE
1. VIEW NAME: NEW VIEW 1
2 SOURCE FILES 3. FORMAT 4 PREPARATION 5 PROCESSING 6 CLUSTERING 7. PROJECTION
CLUSTER COHESION:
(5): (2): (3): (3): (3): (3): (3): (3): (3): (3
-CLUSTER AREA:
8.0 0.0 10.0
-CLUSTER SPREAD:
98 60 00 20.0
CANCEL <- PREVIOUS NEXT >> PROCESS LATER PROCESS NOW HELP


FIG. 6M





\_ (3**Y** 

FIG. 7A



OTPE TO STATE OF THE PROPERTY OF THE PROPERTY

NAME=SPROT-ANO DESC=SWISSPROT ANNOTATIONS END\_DESC DELIMITER=//

IIFO NAME=TITLE TYPE=STRING TAG=DE

METHOD=LINES:1 DOC\_VECTOR=FALSE

SEARCH=TRUE ~CORR=TRUE

CASE\_SENSITIVE=TRUE WHOLE\_BOUNDARY=TRUE LINEPOS=START

IIF1

Ē

CORPUS DESCRIPTION RECORD DELIMITER TAG

CORPUS NAME

FIELD NUMBER NAME OF THE FIELD

DATA TYPE OF THIS FIELD (STRING, NUMERIC, SEQUENCE) FIELD TAG AS IT APPEARS IN THE SOURCE FILE

DATA IS ON A SINGLE LINE

DON'T USE THIS FIELD FOR THE DOCUMENT VECTOR


MAKE THIS FIELD SEARCHABLE

**;USE THIS FIELD TO MAKE CATEGORIES** 


CASE SENSITIVE

;THE TITLE TAG MUST BE A WORD (WHITE SPACE DELIMITED) ;THE FIELD TAG ALWAYS STARTS AT THE BEGINNING OF A LINE

F/G. 8



~ -X




OTPE LOS

## CREATE READ UPDATE

		T P				_	ATE		RA	MS	_	TO				CTIV		ICS	
					CLUSTER PROJEC			TION											
FILE NAME	DATASET EDITOR	VIEW EDITOR	NUMERIC_ENGINE	TEXT_ENGINE	K_MEANS	CLUSTER_SID	CORRELATIONORDER	PCA_CLUSTERS	TRIANGLE	DOCPROJECTION	GALAXY	SURFACE MAP	MASTER QUERY	PLOT DATA	RECORD VIEWER	QUERY (WORD)	QUERY (NUM)	GROUP	GIST
<datasetname>.DCAT</datasetname>	C														R				
<pre><datasetname>.PROPERTIES</datasetname></pre>	С										R								
<viewname>.CLSP</viewname>		$\circ$			R	R					R								
<viewname>.CLUSTER</viewname>						<u> </u>	_	C		ပ		L_							
<viewname>.CORRV</viewname>				Č		<u> </u>			_			_	R		Ļ	<u> </u>			
<viewname>.DCAT</viewname>				C						_		_			R	_			
<viewname>.DOCPT</viewname>	<u> </u>									이	R	ļ				<u> </u>			ᅱ
< VIEWNAME > DOCTERM INDEX	_			ပပ		-	H				ļ		<u> </u>		<u> </u>	R			R R
<pre><viewname>.DOCTERM_INDEX</viewname></pre>					В	Ь	Ь		<u> </u>	R	R	R		R	<del> </del>	K	R		-
<pre><viewname>.DOCV (VECTOR) </viewname></pre>	$\vdash$			٥	R	R	R		C	R	<u>                                    </u>	<u> </u>	<del> </del>	<u>~</u>	├─		7		
<pre><viewname>.FIELD_OFF</viewname></pre>	$\vdash$			C			-		۲	<u> </u>	$\vdash$	$\vdash$	R	R	R	R			
<viewname>.GIF</viewname>			С						$\vdash$		R	$\vdash$	<del> ``</del>	<del>  `</del>	<del>  ``</del>	<del>  ``</del>			一
<viewname>.GROUPS</viewname>			Ť		_	$\vdash$		H			H							U	$\neg$
<viewname>.FMT</viewname>	<u> </u>		С	R			$\vdash$						R	R	R	R	R	Ť	
<viewname>.HCLS</viewname>			Ť		С	С	R			R	R	R	R		R				
<viewname>.HEADINGS</viewname>			С								R	R		R			R		
<viewname>.IFI</viewname>				ပ												R			
<viewname>.IFI_INDEX</viewname>				O												R			
<viewname>.PROPERTIES</viewname>	U	U		ح	U	U	U	U	U	U	R	R			L.	<u> </u>			
<viewname>.PUNC</viewname>			С	R				_							<u> </u>	R			
<viewname>.REL</viewname>	_	_		С		_	_			<u> </u>	Ļ	Ļ	_	_	_	┡	R	1	
<viewname>.REPOSITORY</viewname>	<u> </u>	_	Ļ	ᄂ						<u> </u>	R	R	R	R	R	R		R	R
<viewname>.STOP</viewname>	_	$\vdash$	С	R		$\vdash$	_	<u> </u>	_	<u> </u>	<u></u>	<u> </u>	<u></u>	<u> </u>	<u> </u>	<u> </u>	R		
<viewname>.TL</viewname>	-	_	$\vdash$	C			_	<b> </b>	$\vdash$	$\vdash$	R	R	R	R	R	R	R		
<viewname>.TOPIC <viewname>.VOCAB</viewname></viewname>	$\vdash$	_		C		$\vdash$	<del> </del>	_	<del> </del> —	-	$\vdash$	$\vdash$	├	├		R	LV.		R
<pre><viewname>.VOCAB_INDEX</viewname></pre>	$\vdash$	<del>                                     </del>	├─	$\frac{c}{c}$	-	├	-	$\vdash$	$\vdash$	<del>  -</del>	$\vdash$	╁╾	$\vdash$	$\vdash$	-	R	$\vdash$	-	R
TAB DELIMITED COLUMN/ROW	$\vdash$	$\vdash$	<del> </del>	۲		$\vdash$		<del>                                     </del>	$\vdash$	┢┈╴		$\vdash$	<del>                                     </del>	<del> </del>		<del> ``</del>		-	11
OURCE			R																
TAGGED TEXT SOURCE FILE(S)			С	R											R	T			
REENGINEERED TAGGED TEXT		С	R	R											R				
SOURCE	1	<u> </u>		L	<u> </u>						l	<u> </u>			Ľ	<u></u>	<u> </u>		

FIG. 11









FIG. 12












` 3,55 2₹

FIG. 16






FIG. 18



MENU BAR	COLUMN ORDER COLOR MODE STATUS BAR	TOOL BAR						
	COLUMN ORDER		-≣		\(\lambda_{\text{\tin}\text{\tetx{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\ti}\\\ \text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\texi}\text{\text{\text{\text{\text{\text{\text{\texi}\text{\text{\texi}}\tint{\text{\text{\texitile}}\text{\text{\text{\texi}\text{\text{\texi}\text{\text{\texi}\text{\texit{\texi}\tilitt{\text{\texi{\text{\texi{\texi{\texi{\texi{\texi{\texi}\texit{\texi{\t			
	FILE ROW CASE						·	

FIG. 19






FIG. 20






FIG. 21

							-
RECORDS VS. ATTRIBUTES	2210, 2220,	ATTRIBUTE SOURCES)	• VOCABULARY WORD(S) [	O VOCABULARY FILE	O CATEGORY FIELD(S) (ADD) (DROP DOWN LIST OF FIELDS)	O CATEGORY FILE (BROWSE)	2240 2230 (CLEAR) (CANCEL) (DONE)

FIG. 22A



72260

FIG. 22B

OCT 3 1 2002

	OIPE	
PAI	OCT 3 1 2002	
E.	ADEMARK DE	,

CURRENT DATA VS HISTORICAL DATA HISTORICAL DATA FOR COMPARISON	PREVIOUS VISUALIZATION	CLEAR CANCEL DONE	7 2270
--	------------------------	-------------------	--------

FIG. 22C



8_atubiatta	0	0	0	0	1	0
6_3TU8IRTTA	0	1	0	0	1	0
4_3TU8IRTTA	1	1	1	1	0	1
E_3TU8IRTTA	1	1	1	1	1	0
s_atuaiatta	1	1	1	0	1	1
t_atuaiatta	1	0	0	l	1	0
	RECORD_1	RECORD_2	RECORD_3	RECORD_4	RECORD_5	RECORD_6

## FIG. 23






FIG. 24




FIG. 25






FIG. 26




FIG. 27



**MENUS** FILE SAVE SAVE AS **EXPORT DATA MATRIX EXPORT GRAPHIC** PRINT **DUPLICATE ROW ORDER CLUSTER FROM VIEW (DEFAULT)** CORRELATION WITH COLUMNS (DEFAULT IF NO CLUSTER) ✓ ADVANCED ► CLUSTER BASED ON COLUMN VALUES HIERARCHICAL K-MEANS SUM **FILE ORDER** COLUMN ORDER ✓ CORRELATION (DEFAULT) ADVANCED► CLUSTER BASED ON ROW VALUES HIERARCHICAL K-MEANS SUM FILE ORDER COLOR ✓ DEFAULT **THRESHOLD** ADVANCED ► CUSTOM COLORS MEAN(DEFAULT) COLOR CLUSTERS BY MEDIAN STANDARD DEVIATION MINIMUM MAXIMUM MODE DEVIATION FOR EXPECTED (DEFAULT) √ CO-OCCURRENCE (RAW) ADVANCED ► PROBABILITY OF OBSERVATION CONDITIONAL PROBABILITY



## **TOOL BAR**



**RECORD VIEWER** 

**ZOOM** 



ZOOM RESET



EXPAND ROW CLUSTERS

COLLAPSE ROW CLUSTERS

iii EXPAND COLUMN **CLUSTERS** 

Ш **COLLAPSE COLUMN CLUSTERS** 

PPP ORIENT ROWS VS. VALUE

**ORIENT COLUMNS VS. VALUE** 

**BBB RESET ORIENTATION** 

**出 SPACING TOGGLE** 

FIG. 29






FIG. 30A




FIG. 30B